



Portable Diesel Compressors

175 - 1350 CFM



People. Passion. Performance.



Benefits:



Features:

- Side-access service and centralized drain system.
- Extended-use fuel tank.
- Intuitive control panel.
- Compact design.
- High-efficiency screw element.
- Simplified Oil Separator Tank (Vessel Cover).
- User-friendly servicing.

Technical Data:

Model	FAD (cfm)*	Working pressure (psig)	Capacity fuel tank (l)	L x W x H (mm)	Dry Weight (kg)	Engine Make	Engine Model	Engine (HP)		
CPS 175-100	175	100	59.8	Trailer mounted 2974 x 1346 x 1419	610	Kubota	V1505-CR-T-E5B	44		
CPS 300-100	300	102	100	Portable 3305 x 1680 x 1983 Skid Mounted 2175 x 1180 x 1529	1360	Ashok Leyland Hino	AL W04D	80		
CPS 370-125	370	125	100		1440		AL W04CT	111		
CPS 400-100	400	102	100		1440					
CPS 400-150	425	150	150	Portable 3600 x 1735 x 1825 Skid Mounted 2631 x 1357 x 1580	Portable 1720 Skid Mounted 1520	Ashok Leyland	AL HA4CTI Inline FIP	130		
CPS 425-125	425	125	150							
CPS 500-185	508	185	190	Skid mounted 2850 x 1400 x 1919	1890		ALUW06DTi	170		
CPS 450-200	450	200	190	Portable 3980 x 1960 x 2256 Skid Mounted 2985 x 1504 x 1919	Portable 2100 Skid Mounted 1890					
CPS 500-175	500	175	190							
CPS 550-150	550	150	190							
CPS 650-100	650	102	190							
CPS 550-200	550	200	190						205	
CPS 575-225	575	225	190					220		
CPS 610-250	610	250	295	Skid mounted 3294 x 1632 x 2273 Portable 4420 x 2203 x 2721	Stationary 3030 Portable 3310		ALIN6Ti	280		
CPS 625-225	618	225	295							
CPS 825-125	810	125	295							
CPS 680-290	685	250/290	295	Skid mounted 3294 x 1632 x 2273	3190				A6	315
CPS 715-175	694	175	295		3030					
CPS 750-250	745	204/247	295		3190					
CPS 850-290	850/750	246.5/290	-	3360 x 1600 x 2370	3650					
CPS 950-300	950	300	-	Skid Mounted 3942 x 1600 x 2465	4100	Cummins	NTA855C-BC	415		
CPS 1100-300	1100	300	-					415		
CPS 1200-330	1200	330	-					430		
CPS 1350-425	1250	362/425	-					3750x2102x2256	5318	KTA-1150-C

Specification are subject to change, without prior notice
*according to ISO1217 ed.3 1996 annes D
Fuel Tank Available only for Portable Version



2/3/4/5/6 Jack Hammer Drilling Application
Sand Blasting / Surface Preparation Application
Ash Handling Application

CPS 300-100 | CPS 400-100
CPS 650-1000 | CPS 550-150

Sand Blasting / Surface Preparation Application/
LD4 drilling application / Shortcrete Application

CPS 370-125 | CPS 400-100
CPS 400-150

Crawler Drilling Application for mining and stone quarry
Water Well Drilling application for - 3" to 5.5" dia

CPS 450-200 | CPS 500-175
CPS 550-150 | CPS 550-200
CPS 575-225 | CPS 625-225

Coal Overburden Removal

CPS 550-200 | CPS 575-225
CPS 850-290

Water Well drilling Application - 6.5" to 12" dia

CPS 850-290 | CPS 950-300
CPS 1100-300 | CPS 1200-330
CPS 1350-425

Pigging Application
Reverse Circulation Drilling Application

CPS 550-200 | CPS 750-200
CPS 850-290 | CPS 950-300
CPS 1100-300



People. Passion. Performance.

LOCATION	MOBILE NUMBER	E-MAIL ID
Maharashtra	9607906819	shirish.amraj@cp.com
Nagpur	8051870991	gaurav.pandey@atlascope.com
Rajasthan	9549048482	hari.om@cp.com
Ahmedabad	9766656280	maresh.gangera@cp.com
Delhi	9028342785	gaurav.solanki@cp.com
Jharkhand	9038391438	soutan.ghosh@cp.com
West Bengal	8051870991	gaurav.pandey@atlascope.com
Telangana	7702555320	mvn.raju@cp.com
Chennai	8484936902	hifzur.rahman@cp.com
Bangalore	8484936902	jithin.chandran1@cp.com

ISO 9001:2015, ISO 45001:2018, ISO 14001:2015

For more information, please contact
your CP partner:

For Product enquiries: **cpcesales.india@cp.com**

For Service support : **cpceservice.india@cp.com**

Reach us on **Whatsapp- 8956315361**
Toll free number @ 1800 120 110040

Use only authorized parts. Any damage or malfunction caused by the use of unauthorized parts is not covered by Warranty or Product Liability.